## THE EXOID

# THE NEW GENERATION OF TRPS






# ACHIEVE SHARP RESOLUTION WITH SINGLEPARTICLE ANALYSIS

The Exoid utilises Tunable Resistive Pulse Sensing (TRPS) to provide a measure of nanoparticles in the 40 nm to 11  $\mu$ m range, including extracellular vesicles.

After calibration with a known standard, the transient change in current is monitored as particles pass one-by-one through a tunable nanopore, allowing measurements of size and concentration or size and zeta potential.

## CONFIDENTLY RESOLVE SUBPOPULATIONS IN HETEROGENOUS SAMPLES



The single-particle nature of tunable resistive pulse sensing (TRPS) enables deep insights into the physical characteristics of particles in heterogenous samples.

In contrast with NTA and MADLS, TRPS clearly identified all four subpopulations in a quadrimodal sample of polystyrene particles (100.150, 200, 240 nm).

Adapted from Vogel et al. (2021). Measuring particle concentration of multimodal synthetic reference materials and extracellular vesicles with orthogonal techniques: Who is up to the challenge? Journal of Extracellular Vesicles. 10 (3) doi: 10.1002/jev2.12052



## THE EXOID: SUCCESSOR OF THE qNANO

Pressure, voltage and pore stretch can now be adjusted directly from your connected device.

Significant hardware improvements reduce noise levels significantly over the qNano, meaning that smaller particles can be measured more reliably.

The clean new user interface provides guidance throughout the setup and measurement process.



#### WHY USE TRPS?

- TRPS is a true single-particle measurement technique that provides far greater resolution over ensemble techniques.
- Reproducibility is enabled through the use of standardised NIST-traceable calibration particles.
- Automated data processing is achieved via a user-friendly data visualisation interface.
- Unlike other techniques, TRPS
   measurements do not rely on prior
   knowledge of the optical properties of
   particles or the dispersant.
- Parameters are adjusted to maximise the signal-to-noise ratio and are monitored during calibration and sample measurement to ensure high-quality data.

# ACHIEVE PRECISE INSIGHTS INTO THE PHYSICAL CHARACTERISTICS OF BIOLOGICAL NANOPARTICLES

### **EXOID SPECIFICATIONS**

Footprint 350 x 350 mm

Weight 13 kg

Height 320 mm

**Analysis Range** 40 nm to 11 µm

Concentration Range  $\,$  1E5 to 1E11 / mL

(size dependent)

**Electrolyte properties** Physiological



